

GD4819S



Introduction:

Nowadays, family gathering and parties are often held. Barbeque adds much fun, so a growing number of people take gas grill home. Our five burners outdoor gas grill is especially popular among customers, due to its large capacity and high performance. It is with CE and AGA certificate.

Specification

Model	GD4819S (Shipped)
Color	Black + silver gray
Firebox Construction	Four layers welding (4210 series)
Firebox Material and Thickness	Black porcelain, 0.7mm
Firebox Size (Width / Depth)	73.8×43.4cm
Primary Burners (#)	4
Primary Burner Type and Material	φ25 439 /304 stainless steel straight pipe
Primary Burner BTU's (Each)	12,000
Primary Burner BTU's (Total)	48,000
Primary Cooking Grate Width (useable)	36.6cm
Primary Cooking Grate Depth (useable)	42.9cm
Total Primary Cooking Grate Area	
Warming Rack Width (useable)	64.8cm
Warming Rack Depth (useable)	18.2m

Total Warming Rack Area	
Total Cooking Area (Primary Cooking Grate + Warming Rack)	
Primary Cooking Grate (Finish, Material, Thickness)	Bright light cast iron enamel
Plate	Yes
Warming Rack Construction (Finish, Material, Thickness)	Nickel plate, 3.5mm
Side Burner (Yes, No)	yes
Side Burner Type (Traditional, Infrared Searing, etc)	Traditional cast iron side burner
Side Burner BTU's	11,000
Rear Burner (Yes or No)	NO
Rear Burner Type	No
Rear Burner BTU's	No
Rear Kit Included	NO
Ignition Type (Electronic, Piezo, Push & Turn, etc)	Electronic
	(Impulse igniter, one of four, black cap)
Convertible to Natural Gas (Orifices Included?)	No
Lights (# and Type)	No
Flame Tamer Construction (Finish, Material, Thickness)	Black enamel, 0.6mm
Grease tray	Galvanized sheet 0.5
Hood Construction (Material, Walls/Liner, Thickness)	Double covers; stainless steel middle panel, 0.7mm; galvanized sheet lining, 0.5mm;
Hood End cap Construction (Material, Thickness)	High temperature matte silver gray cast aluminum side panel
Logo	No
Temp Gauge? (Yes or No)	Yes
Lid Handle Construction and Material	Φ25 stainless steel pipe

Control Panel	High temperature silver gray middle panel , 0.6mm; high temperature silver gray side shelf, 0.6mm
Knob	Plastic nickel plate knob, plastic electroplate knob
Cart Type (Full, Partial, Material, Thickness)	Semi-closed silver gray cart (Partial)
Doors or Front panels (Material, Wall, Thickness)	Double doors, 0.6mm
Door Handle (Material, Wall, Thickness)	N/A
Panels (Material, Thickness)	Silver gray paint base panel 0.6mm
Side Shelves (Material, Thickness)	high temperature side shelf, 0.7mm
Slide Out Tank Drawer? (Yes or No)	NO
Storage Drawers (#, Material, Glide Type)	NO
Heat Shield Construction	Galvanized panel
Wheel/Caster	4 × caster
Regulator + hose	No
Packaging	Black print common brown box
Unique Features	Cable enamel side burner shelf
Overall Dimension	144×57×116
(L × D × H)	
Weight Per Unit (pounds) (BL)	39.8kg
Carton height (inches) (inch)	810mm
Carton width (inches) (inch)	730mm
Carton depth (inches) (inch)	650mm
Carton weight (pounds) (BL)	47.5kg
Cube Per Unit	0.39
20' - Units Per Container	66
40' - Units Per Container	132



Guangdong Vanward New Electric CO., LTD

40' HC - Units Per Container	176
45' - Units Per Container	