

GD4830S



Introduction:

Nowadays, family gathering and parties are often held. Barbeque adds much fun, so a growing number of people take gas grill home. Our five burners outdoor gas grill is especially popular among customers, due to its large capacity and high performance. It is with CE certificate.

Specification

| Model | GD4230S (Shipped) |
|---------------------------------------|---|
| Color | Black + stainless silver + silver gray |
| Firebox Construction | Four layers welding |
| Firebox Material and Thickness | Black porcelain, 0.7mm |
| Firebox Size (Width / Depth) | 73.8× 43.4cm |
| Primary Burners (#) | 4 |
| Primary Burner Type and Material | $\varphi 25$ 439 /304 stainless steel straight pipe |
| Primary Burner BTU's (Each) | 12,000 |
| Primary Burner BTU's (Total) | 48,000 |
| Primary Cooking Grate Width (useable) | 36.6cm |
| Primary Cooking Grate Depth (useable) | 42.9cm |
| Total Primary Cooking Grate Area | 73.8cmx43.4cm |
| Warming Rack Width (useable) | 67.5cm |
| Warming Rack Depth (useable) | 17.6m |
| Total Warming Rack Area | |



Guangdong Vanward New Electric CO., LTD

| Total Cooking Area (Primary Cooking Grate + Warming Rack) | |
|---|---|
| Primary Cooking Grate (Finish, Material, Thickness) | Matte cast iron enamel |
| Plate | Yes |
| Warming Rack Construction (Finish, Material, Thickness) | Electroplating, 3.5mm |
| Side Burner (Yes, No) | yes |
| Side Burner Type (Traditional, Infrared Searing, etc) | Traditional stainless steel side burner |
| Side Burner BTU's | 1100 |
| Rear Burner (Yes or No) | NO |
| Rear Burner Type | No |
| Rear Burner BTU's | No |
| Rear Kit Included | NO |
| Ignition Type (Electronic, Piezo, Push & Turn, etc) | Electronic (Impulse igniter) |
| Convertible to Natural Gas (Orifices Included?) | No |
| Lights (# and Type) | No |
| Flame Tamer Construction (Finish, Material, Thickness) | Black bright light enamel, 0.7mm |
| Grease tray | Galvanized sheet 0.5 |
| Hood Construction (Material, Walls/Liner, Thickness) Hood End cap Construction (Material, | Double covers; stainless steel middle panel,0.7mm + cast aluminum right and left side panel + 0.5mm galvanized sheet lining; Cast aluminum right and left side panel + |
| Thickness) | black paint Yes/ no |
| Logo | |
| Temp Gauge? (Yes or No) | Yes |
| Lid Handle Construction and Material | $\Phi 25$ stainless steel pipe |



Guangdong Vanward New Electric CO., LTD

| Control Panel | Stainless steel middle panel, 0.6mm; black paint side shelf, 0.6mm |
|--|--|
| Knob | Plastic nickel plate knob, plastic + electroplate knob seat |
| Cart Type (Full, Partial, Material, Thickness) | Open-type |
| Doors or Front panels (Material, Wall, Thickness) | No |
| Door Handle (Material, Wall, Thickness) | No |
| Panels (Material, Thickness) | No |
| Side Shelves (Material, Thickness) | 0.6mm+1.2mm cold draw panel +high temperature side shelf |
| Slide Out Tank Drawer? (Yes or No) | NO |
| Storage Drawers (#, Material, Glide Type) | NO |
| Heat Shield Construction | Galvanized panel |
| Wheel/Caster | 2 \times 7" Wheels + 2 foot mats |
| Regulator + hose | No |
| Packaging | Black print common brown box |
| Unique Features | |
| Overall Dimension | 144×60×118 cm |
| $(L \times D \times H)$ | |
| Weight Per Unit (pounds) (BL) | 31 |
| Carton height (inches) (inch) | 810mm |
| Carton width (inches) (inch) | 655mm |
| Carton depth (inches) (inch) | 655mm |
| Carton weight (pounds) (BL) | 36.5 |
| Cube Per Unit | 0.348 |
| 20' - Units Per Container | |
| 40' - Units Per Container | 150 |



Guangdong Vanward New Electric CO., LTD

| 40' HC - Units Per Container | 200 |
|------------------------------|-----|
| 45' - Units Per Container | 224 |