

GD4836S



Introduction:

Nowadays, family gathering and parties are often held. Barbeque adds much fun, so a growing number of people take gas grill home. Our five burners outdoor gas grill is especially popular among customers, due to its large capacity and high performance. It is with CE certificate.

Specification

| Model | GD4836S |
|---------------------------------------|--|
| Color | Black + stainless silver base color |
| Firebox Construction | Four layers welding (4833) |
| Firebox Material and Thickness | Black porcelain, 0.7mm |
| Firebox Size (Width / Depth) | 29.1" × 17.35" |
| Primary Burners (#) | 4 |
| Primary Burner Type and Material | φ25 439 /304 stainless steel straight pipe |
| Primary Burner BTU's (Each) | 12,000 |
| Primary Burner BTU's (Total) | 48,000 |
| Primary Cooking Grate Width (useable) | 28.8 |
| Primary Cooking Grate Depth (useable) | 16.9 |
| Total Primary Cooking Grate Area | 480.5 sq.inch |
| Warming Rack Width (useable) | 28.15 |
| Warming Rack Depth (useable) | 6.9 |
| Total Warming Rack Area | 194 sq. inch |

| | |
|---|--|
| Total Cooking Area (Primary Cooking Grate + Warming Rack) | 674.5 sq. inch |
| Primary Cooking Grate (Finish, Material, Thickness) | 2 PCS matte enamel cast iron cooking grate |
| Plate | No |
| Warming Rack Construction (Finish, Material, Thickness) | Cable warming rack; black enamel bright light Q235;φ5/φ3 |
| Side Burner (Yes, No) | NO |
| Side Burner Type (Traditional, Infrared Searing, etc) | NO |
| Side Burner BTU's | NO |
| Rear Burner (Yes or No) | NO |
| Rear Burner Type | N/A |
| Rear Burner BTU's | N/A |
| Rear Kit Included | NO |
| Ignition Type (Electronic, Piezo, Push & Turn, etc) | Electronic (Impulse igniter, one of four, black cap) |
| Convertible to Natural Gas (Orifices Included?) | No |
| Lights (# and Type) | No |
| Flame Tamer Construction (Finish, Material, Thickness) | Black bright light enamel, 0.7mm |
| Grease tray | Galvanized sheet 0.5 |
| Hood Construction (Material, Walls/Liner, Thickness) | Double covers; black enamel middle panel,0.7mm, 0.5mm galvanized sheet lining; |
| Hood End cap Construction (Material, Thickness) | Black cast aluminum side panel (4833) |
| Logo | No |
| Temp Gauge? (Yes or No) | 2.8" stainless steel round thermometer, with stainless steel ornament |
| Lid Handle Construction and Material | Φ32 stainless steel pipe |

| | |
|---|--|
| Control Panel | Stainless steel control panel, 0.6mm |
| Knob | Black plastic knob (4205), with plastic electroplate knob seat |
| Cart Type (Full, Partial, Material, Thickness) | Full-closed, double doors |
| Doors or Front panels (Material, Wall, Thickness) | 2 PCS black paint double doors, 0.6mm; galvanized inner door lining, 0.5mm |
| Door Handle (Material, Wall, Thickness) | SS handle |
| Panels (Material, Thickness) | Black paint base panel, full closed side panel and rear panel, 0.6mm |
| Side Shelves (Material, Thickness) | Silver gray paint side shelf, 0.6mm |
| Slide Out Tank Drawer? (Yes or No) | NO |
| Storage Drawers (#, Material, Glide Type) | NO |
| Heat Shield Construction | Galvanized panel |
| Wheel/Caster | 2 × caster |
| | 2 × w/Lock caster |
| Regulator + hose | Optional |
| Packaging | Black print common brown box |
| Black print common brown box/color box/common brown box + color tags) | |
| Overall Dimension | 56.7" X 24" X 46.85" |
| (L × D × H) | 144x61x119 cm |
| Weight Per Unit (pounds) (BL) | |
| Carton height (inches) (inch) | 31.89 |
| Carton width (inches) (inch) | 28.74 |
| Carton depth (inches) (inch) | 25.59 |
| Carton weight (pounds) (BL) | |
| Cube Per Unit | 0.385 |
| 20' - Units Per Container | 63 |
| 40' - Units Per Container | 129 |

| | |
|------------------------------|-----|
| 40' HC - Units Per Container | 172 |
| 45' - Units Per Container | |

Optional:

1. Cable enamel cooking grate.
2. Iron cast enamel cooking grate + iron cast enamel plate
3. Add one galvanized panel with thickness of 0.5mm burner cover inner lining.
4. Cable enamel side burner shelf