

JK-ENB58D05



Introduction:

With years' experience in producing built-in electric gas oven, Vanward wins big fames in global market. We are available with a variety of features and a range of options.

Advantages:

1. Built-in electric gas oven can operate in gas and electricity separately.
2. Digital timer control on grill time (supplied with electricity).
3. Imported aluminum temperature control valve.
4. Pulse ignition.
5. With multiple protections for abnormal combustion (Including flame failure device, electricity cut-off and gas cut-off).
6. Reasonable design with combustion air replenishment system.
7. Forced cooling and exhaust system.
8. Built-in electric gas oven is with sophisticated modern features and fittings.

Specifications:

| | |
|-------------------|---------------------------|
| Model | JK-ENB58D05 |
| Oven Capacity | 58L |
| Voltage | 220-240V, 50/60Hz |
| | Optional |
| Power | Electric:1800W;Gas: 2500W |
| Temperature Range | 130-250 |
| Functions | 1. Oven light |
| | 2. Upper heating element |
| | 3. Lower heating element |
| | 4. Rotisserie |
| Control Mode | Semi-electronic |

| | | |
|---------------------------------------|------------------------------------|---|
| Configuration | Four functions | |
| | Oven Capacity: 58L | |
| | 5 shelf layers | |
| | Anti-explosion tempered glass door | |
| | Easily clean door | |
| | Cooling fan | |
| | With high temperature bulb | |
| | Electronic time display | |
| | Rotary toasting | |
| | Impulse firing | |
| | With abnormal safety system | |
| Valve | Imported | ■ |
| | Domestic | Optional |
| Gas resource | | I2H, I2E, I2E+, I2L, I3+(28-30/37), I3B/P(30), I3B/P(50), I3B/P(37) |
| Handle bar | | Optional |
| Knob | | Optional |
| Door | Double | ■ |
| | Triple | Optional |
| Oven Interior | Expanded | ■ |
| | Removable shelf | Optional |
| Dimensions of the product (mm) | L×H×D | 595×595×575mm |
| Dimensions of the packed product (mm) | L×H×D | 660×656×675mm |



Guangdong Vanward New Electric CO., LTD

| | | |
|---------------------|-------------------|---------|
| Packing Quantity | 20`GP | 72 pcs |
| | 40`GP | 162 pcs |
| | 40`HQ | 204 pcs |
| Weight | Net Weight(Kg) | 36 |
| | Gross Weight (Kg) | 40 |